

# MISSISSIPPI STATE DEPARTMENT OF HEALTH

### BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM


mooreville - Richmond water assoc.
Public Water Supply Name

O41000/- O410007- O410032- O410039
List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please	Answer the Fol	llowing Que	estions Regara	ling the C	Consumer Co	onfidence Report		
	Customers wer	re informed	l of availability	of CCR	by: (Attach o	copy of publication	n, water bill or o	ther)
		Advertis On water	ement in local	paper				
	Date custome							
	CCR was dis	tributed b	y mail or oth	er direct	t delivery. S	Specify other dir	ect delivery me	ethods:
	Date Mailed/D	istributed:_	/ /					
	CCR was publi	ished in loc	al newspaper.	(Attach c	opy of publis	shed CCR or proo	f of publication)	
	Name of News	paper:	ee Cou	nty	couk	ler		
	Date Published	:06/10/	10	•				
	CCR was poste	ed in public	places. (Attack	h list of le	ocations)			
	Date Posted:	6/10/10	water	off	ice			
	CCR was poste	d on a publ	icly accessible	internet	site at www.			
CERT	IFICATION							
system und cor	in the form and	manner 1de istent with 1	entitied above. the water quali	I furthe	er certify that oring data or	stributed to the cut the information rovided to the pub pply.	included in this (	OD in tour
Dou	id Fous Title (President,	54 - m	onager			6	06-25-10 Date	
Name/	Title (President,	Mayor, On	vner, etc.)				Date	Alle Salver and Alle Salver as a supply

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Fhone: 601-576-7518



#### 2009 Annual Drinking Water Quality Report Mooreville Richmond Water Association PWS#: 0410001, 0410007, 0410032 & 0410039 May 2010

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to providing you with information because informed customers are our best allies. Our water source is from wells drawing from the Eutaw Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Mooreville Richmond Water Association have received a moderate ranking in terms of susceptibility to contamination.

If you have any questions about this report or concerning your water utility, please contact David Faust ay 662.844.0311. We want our valued customers to be informed about their water utility. If you want to learn more, please join us at any of our regularly scheduled meetings. They are held on the third AThursday of the month at 5:30 PM at the M-R-W-A office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID #:	: 041000	1	T	EST RESULT	ΓS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contami	inants						
10. Barium	N	2009	.093	.089093	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2009	1	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2008*	.04	0	ppm	1.3	AL=1.3	Corrosion of household plumbin systems; erosion of natural deposits; leaching from wood preservatives

16. Fluoride	N	2009	.153	.116153	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	2	0	ppb	0	AL=15	<del></del>
Disinfect	ion By-	Product	ts .					
Chlorine	N	2009	1.45	.8 – 1.45	ppm	) MRDL:	= 4   Water	additive used to control microbes

PWS ID #:	U41UUU	) /	<u> </u>	TEST RESU	LTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detect # of Samples Exceeding MCL/ACL/MRI	Mea -m	nit sure ent	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants							
10. Barium	N	2009	.105	.098105	ppm		2	,,,	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2009	1.7	.9 – 1.7	ppb		100	10	O Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2009	.3	0	ppm		1.3	AL=1.	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2009	.127	.102 – 1.27	ppm		4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009	1	0	ppb		0	AL=1	<ul> <li>Corrosion of household plumbing systems, erosion of natural deposits</li> </ul>
Disinfection	n By-Pr	oducts					-		
82. TTHM [Total trihalomethanes]	N :	2009 2	.55 N	o Range	opb	(	0	80	By-product of drinking water chlorination.
Chlorine	N 2	2009 1	.33 .8	8 – 1.33	opm	(	MRC		Water additive used to control microbes

PWS ID #	: 041003	2	T	EST RESULT	ΓS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contami	inants						
10. Barium	N	2009	.096	.084096	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2009	2	.9 - 2ge	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2008*	.3	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
15. Cyanide	N	2009	48.5	16.8 – 48.5	ppb	200	200	Discharge from steel/metal factories; discharge from plastic and fertilizer factories

16. Fluoride	N	2009	.101	No Range	ppm		4	•	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	3	0	ppb		0	AL=1	5 Corrosion of household plumbing systems, erosion of natural deposits
Disinfect	ion By-	Products	5						
Chlorine	N	2009	1.43	1.07 – 1.43	ppm	0	MRC		Water additive used to control microbes

PWS ID #:	041003	9	Ί.	EST RESUL	<b>TS</b>				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely So	urce of Contamination
Microbiolo	gical C	ontamin	ants						
1. Total Coliform Bacteria	N	November	Positive	3	NA	0	coliform	resence of bacteria in of monthly samples	Naturally present in the environment
Inorganic (	Contam	inants							
10. Barium	N	2009	.096	.088096	ppm	2	2	discharge	of drilling wastes; from metal refineries; natural deposits
13. Chromium	N	2009	1.6	1.2 – 1.6	ppb	100	100	Discharge	from steel and pulp ion of natural deposits
14. Copper	N.	2009	.4	0	ppm	1.3	AL=1.3	Corrosion systems;	of household plumbing erosion of natural eaching from wood
16. Fluoride	N	2009	.124	.1124	ppm	4	4	additive w	natural deposits; water hich promotes strong harge from fertilizer and factories
17. Lead	N	2009	3	0	ppb	0	AL=15	Corrosion	of household plumbing erosion of natural
Disinfection	ı By-Pr	oducts							
Chlorine	N 2	009 1.3	.93	3 – 1.33 ppm		0 MRE		ater additive	used to control

<sup>\*</sup> Most recent sample. No sample required for 2009.

Microbiological Contaminants:

As you can see by the table, our system had no violations. However on system # 0410039 we violated a drinking water standard. We took 3 samples in November of 2009 that showed the presence of coliform bacteria. We did follow up testing and did not find any bacteria present in the subsequent testing. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can

<sup>(1)</sup> Total Coliform. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Mooreville Richmond Water Association works around the clock to provide top quality water to every tap. We just completed installing a 100,000 gallon tank and two 250 gpm wells. We also are in the process of installing radio-read meters. This will speed up the reading process and eliminate any miss-read meters. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

### PROOF OF PUBLICATION

STATE OF MISSI COUNTY OF	and the same of th			
	•			
Before	the undersign	ed, a <b>C</b>	TARY	₽°
in and for said	state and co	unty, J(N	1 CLÁI	2K
general manager				
Ĺ	te cou	NTY COI	rier	,
in the Town of		_	d state, makes o	
	WATI	ER RE	PORT	-
of which the article per as follows:	hereunto attache	ed is a true copy,	was published in	said newspa
Volume19	_, No	3_Date	6/10	20 10
Volume	, No	Date		20
Volume				
Volume	, No	Date		20
Volume	_, No	Date		20
by me, and I find the County Courier has said city, county and ten above.	been established state for more to	ereof to have been d, hublished and than one year nev	had a bona fide I proceeding the f	that The Lee circulation ir irst date writ eral Manage
ID # 49	426worn to and s	subscribed before	me this the 2	3 KD day
JANICE M. H		( )	June M. X	/20/0
Commission I	xpires 0.13 <sub>res</sub>	Sanuce	June 1	1000UC
COU			JUICI	<u>-</u> , ∠∪ <u>~</u>

## 2009 Annual Drinking Water Quality Report MOOREVILLE RICHMOND WATER ASSOCIATION

PWS #: 041001, 0410007, 0410032 & 0410039 May 2010

We're very pleased to present you with this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to providing you with information because informed customers are our best allies. Our water source is from wells drawing from the Eutaw Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Mooreville Riedhmond Water Association have received a moderate ranking in terms of susceptibility to contamination.

If you have any questions about this report or concerning your water utility, please contact David Faust at (662) 844-0311. We want our valued customers to be informed about their water utility. If you want to learn more, please attend one of our regular meetings held on the third Thursday of the month at 5:30 p.m. at the M-R-W-A.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissoves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contamants from the presence of animals or from human activity; mirobial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural investock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or rescult from urban storm-water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic ohemical contaminants, including synthetic and volatile organic chamizals, which are by-products of industries processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities, in order to ensure that tap water its safe to drink, EPA prescribes regulations that limit the amount of certain contaminators in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (PT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to beath. MCL Gs allow for a maxim of a feature.

Maximum Containment Level Coan The doar (MCLS) is not yet to the Coan (MCLS) is not yet to the C

infectant is necessary for control of microbial contaminants.

Parts per million (ppm): or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per Billion (ppb): or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years or a single penny in \$10,000,000.

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Messure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants		-				
10. Bedum	M	2009	.093	.089093	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2009	1	No Range	ppb	100	100	Discharge from steel and pulp milis; erosion of natural deposits
14. Copper	7	2008*	.04	0	ppm	1.3	AL=1.3	Corresion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2009	.163	.116153	ppm	*	4	Erosion of natural deposits; wate additive which promotes atrong pesth; discharge from fartilizer and aluminum factories
17. Lead	N	2008*	2	0	Dbp	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits

Conteminent	Violatio	Dete Collector	d Detacte	Range of Dejects  # Afficient of Samples  Exceeding  ACLIACIAND	er Unk	MCLG	MOL	Likely Source of Contamina
Inorganic	Contar	uinants		1 110		•	•	<del></del>
10. Barlum	N.	2009	.198	1.038105	ppm			
13. Chromium	N	2009		1.0		3	,	Discharge of drilling weather, discharge from metal refined scheduler of ngittral desposite. Discharge from steel and put miles, acception of natural desposite reports of natural desposite school of natural security is established by the security is security in the security in the security is security in the security in the security is security in the security in the security in the security is security in the security in the security in the security is security in the security in the security in the security is security in the security in the security in the security in the security is security in the security in
4. Copper	- 1	2009	1.7	9-1.7	PPb	100	100	Discharge from steel and put
	The Marie Was	1		10	ppm	1.3	AL-13	Corresion of household plum
6. Flupride	N	2009	.127	102 - 1.27	Dom	1	Service (Co.	deposits: leaching from wood
		Same:	S-00-6		ppm	4	•	Erpaion of natural deposits; v
7. Lead	N	2009	1.0 1540	0.	ppb	0	ALTIB	Erpaign of natural deposits; v additive which promotes atro- teeth; discharge from fertilize and aluminum factories
	1	1000000	1		rt (Varrons	View say	AL-10	Corresion of household plums systems, emaion of natural deposits
)isinfectio	n By-Pi	pducts						
TTHM otal	N I	2009 2	.55 N	to Range po	6 11 12 11 11 11 11	oT	80 l B	
halomethanes] Norine	N S	009 1	33 7		100	8.2	i di	r-product of drinking water lorination.
	1 1		- 13	18 — 133 — рр	m	0 MPU	X = 4 W	ster additive used to control crobes
WS ID#:	041000							
interninant	Violation	Date	Lavel	Range of Detects o	TS	eg system seeke in	TEXT TAXABLE	Personal second
	YAN	Collected	Detected		Measure -ment	MCLG	MCL	Likely Source of Contamination
organic (	Contam	nants	Sina Mar	Exceeding MGUACUMRDL	1 2,2,1	. 5		
Berlum	IN I	2009	.096					
			1000	.084096	ppm	2	2	Discharge of drilling weates; discharge from metal refineries erosion of natural deposits
Chromium	N	2009	2 1 3 3	.9 - 2ge	daq	100	100	erosion of natural deposits
Copper	N	2008*	3	0	ppm	1,3		Discharge from steel and pulp mile; erosion of natural deposi Corrosion of household plumbi
Cyanida	N I		4 WEG 32634013	VAXED VALUE				deposits; leaching from wood
	l*	2009	48.5	16.8 - 48.5	ppb	200		
Fluoride	10	7.30 assertes	21 7 1 1 5 5 1		Lanca III.	A strain	L	Discharge from atsel/metal factories: discharge from plasti and fertilizer factories
гионца	"	2009	.101	No Renge	PPM	*	- 1	Eroston of natural deposits; we additive which promotes strong seeds; disphargs from familiar, and aluminum factories. Ceroston of household plumble deposits, are seeded of plumble deposits.
Lend	N	2008"	3	0 *	ppb		AL-16	teeth; discharge from fertilizer and aluminum teolories
<u> </u>		3/0/03	1000		1		AL-16	Corresion of household plumps systems, emelon of natural deposits
isinfection	a By-Pre	ducts	MAL CARGOT				tara senjuras	Section to the grant of the section
lorine	N 20	X09 1.4	43 1.0	07 − 1.43 ppn	AT THE REAL PROPERTY.	0 MRD	L=4 We	ter additive used to control
		1,000 (					1 mkg	robes.
WS ID #:		Date	Level	EST RESUL		e i e ne se		British and a state of the
	Violation Y/N	Collected	Detected	Range of Detects or # of Samples Exceeding	Unit Measure -ment	MCLG	MCI.	Likely Source of Contemication
				MCL/ACL/MPIDL	1		- 1	2000
icrobiolog otal Collorm taria		ntamina November	Positive	3				
teria.				•	NA.	•	pre	sence of Neturally present in the environment
			congressions		1	· ·	9% 61	monthly samples
organic ( <sub>Barron</sub>		aants	,096	.086 - ,09G				
				.000 - ,000	ppm	2	3 1	Discharge of drilling wastes; lacharge from metal refineries; incaton of natural deposits
Chromium Gopper	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SOOD	1.6	1.2 - 1.6	PPb	100	100	prosion of natural deposits Discharge from sinel and pulp
		2009	*	0	pem	1.8	AL-1.3	orrosion of household plumbin
	N s	909	.124	1194	PPM	4		Pricings of Injurial September of Injury September
-luorkie		(2) (2) (2) (3) (4) (4)		* * * * * * * * * * * * * * * * * * *		70	*   5	dditive which promotes strong
				CONTRACTOR OF THE PROPERTY OF				
-luoride ead	N 2	909	9 42 43 5 2	0 9	PPB	- 0	AL=15 2	nd aluminum factories orrosion of household plumbing
		1	3	•	pps		AL-15	nd sluminum factories corresion of household plumbing yetems, erosion of natural species

these some consistents have been delocated powers use BPA has determined that your weter 16 BAFE at these layers.

We are required to measure your circums weeks for an experimental property of the property

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hottine at 1:600-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. ERA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporddum and other microbiological contaminants are available from the Safe Drinking Water Hotline (804-426-4791).

The Mooreville Richmond Water Association works around the clock to provide top quality water to every tap. We just completed installing a 100,000 gallon tank and two 250 gpm wells. We also are in the process of installing radio-read meters. This will speed up the reading process and climinate any miss-read meters. We ask that all customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.



# **Invoice**

Bill To	
MOOREVILLE-RICHMOND WATER ASSOCIATION 751 HIGHWAY 371 MOOREVILLE, MS 38857	

Date Invoice #
6/10/2010 92208

Terms

Due on receipt

Description	Rate	Rep	Order No.	Amount
JUNE 10 - 4 COL X 21.5" - WATER REPORT	473.00	JIM C		473.00
	į			
	#   			
And the second s				L
			Total	\$473.00
No. of the state o				